

Platform Home Lift

Divas





○ What is it?

100% Made in Italy, the Movilift lifting platform is suitable for any type of architectural context. It is distinguished by its silence, reliability, safety and ease of installation.

In case of main supply interruption the machine automatically returns to the lowest floor.

It can be installed in new buildings or existing buildings and it is possible to provide a metal structure for interior or exterior.

It can be completely customized in coatings and accessories and is a safe and certified product.

○ Certificates

All Divas lift models carry the CE mark and are subjected to extensive testing and quality control before leaving our factory. Our lifts comply with the Machinery Directive 2006/42/EC and applicable European Standards.

Lifts are delivered with the following documentation:

Type certificate, Declaration of Conformity.

○ Hydraulic Platform Datasheet

Traction	hydraulic with control unit installed near the shaft, or in a cabinet
Capacity	from 250 kg to 650 kg
Maneuver	maneuver APB or automatic in the cabin and automatic on the floor
Stops	up to 6
Travel	max 15000 mm
Minimum headroom	2400 mm with manual doors, 2600 mm with automatic doors
Minimum pit	150mm (with linoleum floor or 180mm with marble ones)
Speed	0,15 m/s (on request 0,30 m/s - slow lift)
Doors	automatic or swing
Power supply	220V - one-phase / three-phase
Motor power	from 1.5 to 4 kw

○ Electric Platform Datasheet

Traction	gearless motor
Capacity	from 250 kg to 400 kg
Maneuver	maneuver APB or automatic in the cabin and automatic on the floor
Stops	up to 7
Travel	max 25000 mm
Minimum headroom	2450 mm with manual doors, 2600 mm with automatic doors
Minimum pit	160mm (with linoleum floor or 180mm with marble ones)
Speed	0,15 m/s or 0,30 m/s
Doors	automatic or swing
Power supply	220V - one-phase / three-phase
Motor power	from 0.6 to 2.2 kw



Standard

Entrances	1 or 2 opposite or adjacent accesses.
Landing doors	Hinged with standard window or automatic with central or side opening.
Landing operation panel	Flush mounted Inox operating panel with braille push buttons, open door, alarm and / or display for floor indication.
Cabin	Plasticized steel walls sheets with stainless steel finishes, linoleum floor, white 4 LED spotlights ceiling, half-wall mirror with handrail, roof with hatch and photocell barrier.
Car operating panel COP	Mechanical side removable column with braille push buttons, open door, alarm maintenance key, LCD display and emergency light / capacity plate.
Cabin doors	On automatic platform, finishes are like cabin walls.





Options

Hinged doors	Blinded, panoramic with transparent glass or custom. RAL painting or steel coating ***. Fire- fighting version EI 60 - EI 120.
Automatic landing doors	2AT type (two telescopic), 3AT (3 telescopic panels), 2AO (two opposite central panels), 4AO (four opposite central panels), blind or panoramic. RAL painting, plasticized steel sheet. Fire-fighting version EI60 - EI 120.
Landing operating panel LOP	Enabling calls key, TFT display, floor indicators (out of service, direction arrows, alarm, indicator).
Car operating panel COP	Enabling calls key, independent call key, cabin fan switch, cabin light switch, TFT display with customization of the capacity plate with customer logo, loudspeaker cut-out.
Cabin doors	In plasticized sheet, steel or panoramic.
Cabin	Full-wall mirror, bidirectional communication device, panoramic walls, special steel finishes. Ceiling with different finishes, vocal synthesis, protection bumper strips. Predisposition for bottom coating.
Supporting structure	Press-folded sheet metal for exteriors and interiors with bolted elements. Finishes with RAL painting. Buffering with laminated glass or insulated panels and / or sheets.





Manual doors drawings



DC1	DC1/1	DC1/2	DC1/3	DC1/4	DC1/5	DC1/6	DC1/7	DC1/8	DC1/9
CABIN WIDTH	830	830	830	1030	1030	1030	830	1130	1030
CABIN DEPTH	830	1030	1300	1300	1030	830	1200	1400	1400
SHAFT WIDTH	1160	1160	1160	1360	1360	1360	1160	1460	1360
SHAFT DEPTH	950	1150	1450	1450	1150	950	1350	1550	1550
DOOR OPENING	750	750	750	950	950	950	750	900	950
CAPACITY	300	300	340	400	340	340	300	400	400
PERSONS	♿ 3	♿ 3	♿ 3	♿ 3	♿ 3	♿ 3	♿ 3	♿ 3	♿ 3




DL1	DL1/1	DL1/2	DL1/3	DL1/4	DL1/5	DL1/6	DL1/7
CABIN WIDTH	830	1030	1300	1300	1030	830	830
CABIN DEPTH	830	830	830	1030	1030	1030	1200
SHAFT WIDTH	1030	1230	1530	1530	1230	1030	1030
SHAFT DEPTH	1106	1106	1106	1306	1306	1306	1476
DOOR OPENING	750	950	950	950	950	750	750
CAPACITY	300	300	340	400	340	340	400
PERSONS	♿ 3	♿ 4	♿ 4	♿ 5	♿ 4	♿ 4	♿ 5

DA2	DA2/1	DA2/2	DA2/3	DA2/4	DA2/5	DA2/6	DA2/7	DA2/8
CABIN WIDTH	830	830	830	1030	1030	1030	1200	1200
CABIN DEPTH	830	1030	1300	1300	1030	830	830	1200
SHAFT WIDTH	1106	1106	1106	1306	1306	1306	1476	1476
SHAFT DEPTH	975	1175	1445	1445	1175	975	975	1345
DOOR OPENING	750	750	750	950	950	950	950	950
DOOR OPENING	750	950	950	950	950	750	750	950
CAPACITY	300	300	340	400	340	340	400	400
PERSONS	♿ 3	♿ 4	♿ 4	♿ 5	♿ 4	♿ 4	♿ 5	♿ 5

DP2	DP2/1	DP2/2	DP2/3	DP2/4	DP2/5	DP2/6	DP2/7	DP2/8
CABIN WIDTH	830	830	830	1030	1030	1030	830	1130
CABIN DEPTH	830	1030	1300	1300	1030	830	1200	1400
SHAFT WIDTH	1160	1160	1160	1360	1360	1360	1160	1460
SHAFT DEPTH	920	1120	1390	1390	1120	920	1290	1490
DOOR OPENING	750	750	750	950	950	950	750	900
CAPACITY	300	300	340	400	340	340	300	400
PERSONS	♿ 3	♿ 4	♿ 4	♿ 5	♿ 4	♿ 4	♿ 4	♿ 5



Automatic doors drawings



DC1 - 2AT	DC1/1	DC1/2	DC1/3	DC1/4	DC1/5	DC1/6
CABIN WIDTH	830	830	1030	1030	830	980
CABIN DEPTH	1030	1300	1300	1030	1200	1200
SHAFT WIDTH	1160	1160	1350	1350	1160	1310
SHAFT DEPTH	1290	1590	1590	1290	1490	1490
DOOR OPENING	650	650	750	750	650	750
CAPACITY	300	340	400	340	300	400
PERSONS	♿ 4	♿ 4	♿ 5	♿ 4	♿ 4	♿ 4

DL1 - 2AT	DL1/1	DL1/2	DL1/3
CABIN WIDTH	1030	1300	1030
CABIN DEPTH	830	830	1030
SHAFT WIDTH	1460	1460	1460
SHAFT DEPTH	1240	1240	1440
DOOR OPENING	850	850	850
CAPACITY	300	340	340
PERSONS	♿ 4	♿ 4	♿ 4


DP2 - 2AT	DP2/1	DP2/2	DP2/3	DP2/4	DP2/5
CABIN WIDTH	830	830	1030	1030	830
CABIN DEPTH	1030	1300	1300	1030	1200
SHAFT WIDTH	1160	1160	1350	1350	1170
SHAFT DEPTH	1382	1652	1652	1382	1552
DOOR OPENING	650	650	750	750	650
CAPACITY	300	340	400	340	300
PERSONS	♿ 4	♿ 4	♿ 5	♿ 4	♿ 4

* on request it's possible to realize the DIVAS platform with non-standard dimensions.


** on electric platforms, shaft dimensions, counterweight side, are 5 cm more, compared to the above.



Stainless steel



Plam





RAL painting



Wood laminates





○ Limoleum



531
VEINED WHITE



542
VEINED BEIGE



453
SPOTTED WHITE



171
CEMENT GREY



672
MARBLED GREY



645
MARBLED RED



442
SPOTTED GREY



674
MARBLED BLACK



631
MARBLED BEIGE



628
MARBLED YELLOW




640
MARBLED SALMON



632
MARBLED BROWN



639
MARBLED RUST



669
MARBLED BLUE



652
MARBLED GREEN

○ Bubbled rubber



870
GREY



881
BLACK


○ Steel and aluminium



901
RICE GRAIN
STAINLESS STEEL
AISI-304



902
TREADTEX
STAINLESS STEEL
AISI-316



903
SATIN
STAINLESS STEEL 5WL
AISI-304 (OPT. AISI 316)



904
RICE
GRAIN
ALUMINIUM




903
STRIPED
METAL
SHEET

○ Rocksolid



607



616



677




630



TERRACOTTA




DARK CHOCOLATE



609




2402



TITAN GREY


○ Natural stone



BIANCO DI CARRARA



BEIGE SAHARA



GRANITO NERO AFRICA



Suspended ceilings



L04
WITH ROUND LED SPOTLIGHTS



L16
SINGLE LED BAR



L17
DOUBLE LED BAR



L18
PERIMETER MINI-LED



L19
WITH SPOTLIGHT IN CIRCULAR PATTERNS



L04Q
WITH SQUARE LED SPOTLIGHTS



L08
RANDOM MULTI-ROUND



L09
MULTI-SQUARED



L10
PROSPECTIVE



L11
OPALINE

Colours and finishing

accessories

Handrails



C01
ROUND SATIN STAINLESS STEEL



C02
ROUND POLISHED STAINLESS STEEL



C03
RECTANGULAR SATIN STAINLESS STEEL



C04
RECTANGULAR POLISHED STAINLESS STEEL



C05
ROUND POLISHED STAINLESS STEEL
WITH CURVED CORNERS



C05
ROUND SATIN STAINLESS STEEL
WITH CURVED CORNERS



C07
"STEEL COLOUR" CUSTOMISED RANGE



○ Automatic doors

Automatic doors with RAL painting of your choice, steel with customizable finishes, plalam or panoramic glasses with frame glass.



1 RAL



2 STEEL



3 PLALAM



4 PANORAMIC

○ Hinged doors

Blind doors with either standard or panoramic windows. The doors can be also steel covered. Locks and handle included.



1 BLIND



2 STANDARD



3 PANORAMIC



4 ALUMINUM

* on request steel



Car operating panel



Options

Equipped with the cabin column, you can choose the TFT 7" Marlin display or the Rainbow LCD display combined with the Label 57 emergency light capacity plate. Marlin EVO TFT has an integrated voice synthesizer with messages, music and announcements.



1 LCD



2 TFT

Options

4.3 " TFT display IPPOCAMPO with customizable images and data.



Landing operating panels



1 RUBENS



2 FLAT



3 MAKALU

Inox finishes



Via Napoli, 350 80053 Castellammare di Stabia (NA) - Italy
Tel: +39 081.8713646
Fax: +39 081.19308204

E-mail: info@liftexport.com
www.divaslift.com
VAT: 03971331214